Analyze 12.0 Installation Instructions: Linux



© 1999-2014 AnalyzeDirect, Inc. © 1999-2014 BIR, Mayo Clinic

Installation Instructions: Linux

Welcome to **Analyze 12.0**, a robust, powerful, and practical research software for advanced biomedical imaging visualization, manipulation, and measurement. Analyze features integrated, complementary tools for fully interactive multi-dimensional display, processing, segmentation, registration, and measurement of biomedical imaging modalities including MRI, CT, PET, SPECT, ultrasound, and digital microscopy. It has been designed and carefully programmed to be highly efficient and user-interactive, performing powerful 3-D image processing and display operations in seconds. The applications of Analyze are broad in scope, wide in scale, and penetrating in impact.

I. I	nstalling Analyze 12.0 on Linux Systems	. 3
	System Requirements	. 3
	System Preparation	. 4
	Mount the Analyze 12.0 Installation CD	. 4
	Analyze 12.0 Installation	. 5
II. ,	Analyze Licenses	. 7
	BIRlic License Management and License Types	
	Analyze License Files	
	Requesting a License File	
III.	Analyze License File Installation	. 9
	Installing a Node-Locked License	. 9
	Installing a Renewal Node-Locked License	10
	Installing a Floating License SERVER	1
	Installing a Floating License CLIENT	
	Installing a Renewal Floating License SERVER	

IV. Running Analyze 12.0	14
Running Analyze	14
Analyze Patch Update	14
V. Analyze Basics	15
Analyze 12.0 Resources	15
Analyze 12.0 Tutorial Data	15
Analyze 12.0 Image File Format Support	15
VI. Analyze Developers Add-On	16



System Requirements

System Manufacturer	Req'd Disk Space Operating System	
AMD64 Linux (64-bit)	49 MB	CentOS 4+ (or compatible)
Mac Intel (32-bit)	41 MB	OS X 10.8+
Mac Intel (64-bit)	62 MB	OS X 10.8+
PC (Intel) Linux (32-bit)	45 MB	CentOS 4+ (or compatible)
Intel Itanium 2 Linux (64-bit)	91 MB	SuSE 9+ (or compatible)

Section	Req'd Disk Space	Options
Analyze Root	50 MB	Mandatory
Analyze Tutorials	31 MB	Optional
ITK Runtime Extension	22 MB	Optional
AVW Development Environmen	t 36 MB	Optional
ITK Development Environment	36 MB	Optional

Analyze also requires the following minimum system configuration:

- 200 MHz or faster processor
- Network card
- CD-ROM drive
- 2 GB RAM*
- 24/32-bit graphics capability

Disk Space Requirements - The Analyze 12.0 Installation CD contains software for all supported system platforms, so total disk spacerequirements for combinations of several components listed in the tables above will need to be computed. All installations require the appropriate system-specific files listed in the first table, as well as the Analyze Root component. Be certain that the system on which you will be installing Analyze 12.0 has adequate disk space available.

Operating System Requirements - The supported operating system levels are shown in the first table. The operating version you are using is normally indicated in the system banner when you log into the system. If you are running an earlier version of the operating system than is indicated for your system type, Analyze 12.0 may not function.



^{*}Analyze requires RAM equal to twice the size of the data set being processed.

System Preparation

Uninstall Previous Versions of Analyze - If there is another version of Analyze installed on the system on which Analyze 12.0 will be installed, it is recommended to uninstall the previous version. Otherwise, make sure to choose a new installation directory for Analyze 12.0. To uninstall the previous version, mount the Analyze 12.0 Installation CD and follow the steps under "Running the Analyze 12.0 Install Script", selecting the 'u' option when prompted by the install script.

Mount the Analyze 12.0 Installation CD

The Analyze 12.0 Installation CD contains three main components: the complete Analyze distribution for all supported systems, including ancillary files, an interactive installation script called **install**, and an executable for a graphical **Installer**.


To run install or Installer you must first mount the Analyze 12.0 Installation CD. The Installation CD contains a mountable file system (HSFS) that is supported by most systems (that support the ISO 9660 format with Rock Ridge extensions). Each of the different system types supported by Analyze 12.0 provide various mechanisms for mounting a CD on a directory. Some systems may automatically mount the CD on a specific directory, invoking a file manager window in association with the inserted CD. Other systems will require you to mount the CD manually, specifying the CD device and a directory on which to do the mount. Consult your systems administrator or system documentation for information on mounting a CD.



Analyze 12.0 Installation

The graphical Installer program included on the Analyze 12.0 installation CD will lead you through the complete Analyze 12.0 installation process (including optional components, such as the AVW Developers Add-On). To begin the installation process:

- Navigate to the Analyze 12.0 Installation CD using the file manager.
- Double click on the Installer program located on the CD.
- 3. The graphical Installer opens to a 'Welcome' screen. Click Next to begin the Analyze 12.0 installation.
- License Agreement: Please read the End-User License Agreement for AnalyzeDirect Software and select 'I accept' or 'I do not accept'. If you select 'I do not accept', Analyze will not be installed. Click Next.
- Destination Folder: The default location for installation is home/BIR. Select the Change button to specify an alternative installation location for Analyze 12.0. Then, click Next.






- 6. **Setup Type**: You may choose from the following setup types:
 - Analyze with Tutorials (Typical)
 - Analyze Only (Minimum)
 - Customized Analyze (Custom)

For most users, it is recommended to choose the Analyze with **Tutorials (Typical)** setup type.

If you plan to use the Analyze Developers Add-On, choose the Customized Analyze (Custom) setup type and click **Next**. The screen that follows will allow you to choose the platform of the optional components. Once you click **Next**, you will have the option to deselect any components you do NOT wish to install.

- 7. Once you have selected your setup type, click Next.
- 8. Ready to Install the Program: Verify that the 'Current Settings' are accurate, then click Install.
- Analyze 12.0 will now be installed in the specified **Destination**Folder.
- 10. When the Installer notifies you that installation is complete, click Finish. Note that if the Start License Tool option is selected, the BIRlic Tool will automatically open. To request a license using the BIRlic Tool, please refer to "Requesting a License File".





II. Analyze Licenses

BIRlic License Management and License Types

Analyze 12.0 uses the **BIRIc license management system** for Analyze validation and runtime license administration. The BIRIc license management software can be found in the **\$BIR/BIRIc-12.0** directory. BIRIc administers two types of Analyze licenses – node-locked and counted floating licenses.

A **node-locked license** will allow Analyze 12.0 to be run on one system only. With a node-locked license, all license file administration is handled local to the specific system.

note All 30-day evaluation licene files are node-locked licenses.

A **floating license** allows one system to act as a license server, "floating" the license across a network to a client system. Any client system with access to the license server can check out a license if one is available. Note – if only one floating license is purchased, two or more client system cannot run Analyze simultaneously.

For information on license pricing and options, please contact sales@analyzedirect.com.

Analyze License Files

Your license will be stored in a file named **AnalyzeDirect.lic** that is located in the **\$BIR/BIRlic-12.0/Licenses** directory. During Analyze 12.0 installation, a default AnalyzeDirect.lic license file is placed in this Licenses directory.

The default AnalyzeDirect.lic license file MUST BE REPLACED by a system-specific license file, otherwise Analyze 12.0 will not run!

To request a license, please refer to the instructions on the following page under "Requesting a License". Once your license has been generated, you will be notified by AnalyzeDirect via e-mail. You can then retrieve and install your license file using the steps provided for your license type under the "III. Analyze License File Installation". If you are unsure what type of license you have, or encounter any difficulties with license file installation, please contact support@analyzedirect.com.



II. Analyze Licenses


Requesting a License File

A system-specific AnalyzeDirect.lic license file must be installed before Analyze 12.0 will run. You can obtain this license file from AnalyzeDirect.

In order to generate your license, AnalyzeDirect must receive two pieces of information specific to the computer: 1) the Host Name and 2) the Host ID. The instructions below will explain how to send this information to AnalyzeDirect.

- Open the BIRlic Tool by double clicking on the BIRlicTool executable in the \$BIR/bin directory.
- The BIRlic Tool will open to the System Info tab (figure 1).
- 3. Select the **License** tab in BIRlic Tool (figure 2).
- 4. Click the **Request License** button.
- Your Host Name and Host ID will automatically be populated in the license request form. In order to submit your request, you must enter your Company, Name, Email and Phone into the fields provided. The Comments field is optional.
- 6. Click the **Send Request** button.
- 7. A dialog will appear once your license request is submitted (figure 3). If you are unable to submit a request, please send the information in the license request form, along with your system type, in an e-mail to validate@analyzedirect.com.
- Once AnalyzeDirect receives your license request, a
 license will be generated, and you will be notified via
 e-mail. To retrieve and install your license file, please
 refer to the instructions for your license type (nodelocked or floating) in the next section.







License Requested!

Your license request has been

submitted to AnalyzeDirect. Once

your request has been processed,

AnalyzeDirect at +1 913 338 2527

or validate@analyzedirect.com.

Comments

Send Request


you will be notified via email. If you have any questions please contact


Cancel

Installing a Node-Locked License

To install a node-locked license and configure the BIRlic license server for automatic startup:

- Open the BIRIc Tool by double clicking on the BIRIcTool executable in the \$BIR/bin directory, where \$BIR is the path to the directory where Analyze is installed (e.g. /home/BIR).
- Select the License tab and click the Auto Retrieve button.
- 3. Once your license has been retrieved, a dialog will be returned stating "Retrieve Successful" (figure 4).
- 4. Select the **Server** tab to start the **BIRlic license server** and complete license installation.
- 5. If you have used another version of Analyze on this system, verify that the previous license server has been shutdown by selecting the Server Status button. If no license server is running, this will generate a "Connect Error". If the license server is running, then select the Shutdown Server button to shutdown that previous license server.
- To configure the BIRlic license server to startup automatically at system boot:
 - Select the Install Bootscript button. Click Yes to confirm that you
 would like to install the bootscript. Once the bootscript is copied,
 click OK.
 - To execute the bootscript and start the license server, select the Run Bootscript button. Click Yes to confirm that you would like to run the bootscript. Once the server is started, click OK.
- 7. The license server process should now be listening for license requests. To run Analyze, please refer to "IV. Running Analyze 12.0".








Installing a Renewal Node-Locked License


If the BIRlic license server for Analyze 12.0 is already running, then you can take the following steps to install your license once AnalyzeDirect notifies you that your license is ready to retrieve:

- Open the BIRIc Tool by double clicking on the BIRIcTool executable in the \$BIR/bin directory, where \$BIR is the path to the directory where Analyze is installed (e.g. /home/BIR).
- Select the License tab and click the Auto Retrieve button.
- 3. Once your license has been retrieved, a dialog will be returned stating "Retrieve Successful" (figure 5).

note If license retrieval is unsuccessful, please contact AnalyzeDirect at validate@analyzedirect.com or +1 913-338-2527.

- 4. Select the **Server** tab in the **BIRlic Tool**.
- To update the BIRlic license server with the changes to your license, select the **Update Server** button. Choose **Yes** when asked if you would like to update the license file for the server.
- 6. Once the license has been re-read a notification window will appear, reporting the number of changes detected. Click **OK**.
- 7. The license server process should now be running. To run Analyze, please refer to "IV. Running Analyze 12.0".







Installing a Floating License SERVER

Once you have been notified by AnalyzeDirect that your license is ready to retrieve, take the following steps to configure a floating license server system:


- Open the BIRlic Tool by double clicking on the BIRlicTool executable in the \$BIR/bin directory, where \$BIR is the path to the directory where Analyze is installed (e.g. /home/BIR).
- Select the License tab and click the Auto Retrieve button.
- Once your license has been retrieved, a dialog will be returned stating "Retrieve Successful" (figure 6).


note If license retrieval is unsuccessful, please contact AnalyzeDirect at validate@analyzedirect.com or +1 913-338-2527.

- Select the Server tab to start the BIRlic license server and complete license installation.
- 5. If you have used another version of Analyze on this system, verify that the previous license server has been shutdown by selecting the Server Status button. If no license server is running, this will generate a "Connect Error". If the license server is running, then select the Shutdown Server button to shutdown that previous license server.
- 6. To configure the BIRlic license server to startup automatically at system boot:
 - Select the Install Bootscript button. Click Yes to confirm that you would like to install the bootscript. Once the bootscript is copied, click OK.

note You may need to be running BIRlic Tool as root to install these system files. If you do not have root permission, select Start Server to start the BIRlic license server.

- To execute the bootscript and start the license server, select the Run Bootscript button. Click Yes to confirm that you would like to run the bootscript. Once the server is started, click OK.
- 7. The license server process should now be listening for license requests. To configure client systems to run Analyze 12.0, please refer to the steps on the next page.







Installing a Floating License CLIENT


Once you have configured the floating license server system, take the following steps to install the license on client systems:


- Open the BIRlic Tool by double clicking on the BIRlicTool executable in the \$BIR/bin directory, where \$BIR is the path to the directory where Analyze is installed (e.g. /home/BIR).
- Select the License tab and click the Auto Retrieve button.
- 3. A dialog will be returned telling you that the server does not match the server listed, click **Yes** to confirm that it is a floating license client (figure 7).


note If license retrieval is unsuccessful, please contact AnalyzeDirect at validate@analyzedirect.com or +1 913-338-2527.

- In the window returned, enter the Host ID of the floating license server system (figure 8).
- 5. Once your license has been retrieved, a dialog will be returned stating "Retrieve Successful" (figure 9).
- 6. No additional configuration is necessary on client systems. You should **not** start the BIRlic license server on the client systems. For more information on running Analyze 12.0, please refer to "IV. Running Analyze 12.0".

If at any point you encounter difficulties getting your floating license server or client systems up and running, please contact support@analyzedirect.com.











Installing a Renewal Floating License SERVER

If the BIRlic license server for Analyze 12.0 is already running, then you can take the following steps to install your license on the **floating license server system**:

- Open the BIRlic Tool by double clicking on the BIRlicTool executable in the \$BIR/bin directory, where \$BIR is the path to the directory where Analyze is installed (e.g. /home/BIR).
- 2. Select the **License** tab and click the **Auto Retrieve** button.
- 3. Once your license has been retrieved, a dialog will be returned stating "Retrieve Successful" (figure 10).
- 4. Select the **Server** tab in the BIRlic Tool.
- To update the BIRlic license server with the changes to your license, select the **Update Server** button. Choose **Yes** when asked if you would like to update the license file for the server.
- 6. Once the license has been re-read a notification window will appear, reporting the number of changes detected. Click **OK**.
- 7. The license server process should now be running. To run Analyze, please refer to "IV. Running Analyze 12.0".
- To install a renewal floating license on client systems, please refer to the instructions in the previous section, "Configuring a Floating License CLIENT".







IV. Running Analyze 12.0

Running Analyze

Once you have installed Analyze 12.0 and your AnalyzeDirect.lic license, you are ready to run the program.

- To open Analyze 12.0, go to your \$BIR/bin folder and double-click on the Analyze executable (where \$BIR is the path to the Analyze install directory).
- The first time Analyze 12.0 opens, the End-User License Agreement for AnalyzeDirect Software will appear. Please read the agreement carefully and then click I Accept or Exit. Note, if you click 'Exit' Analyze 12.0 will not open.
- 3. Once the End-User License Agreement has been accepted, Analyze 12.0 will open.


If Analyze 12.0 fails to open, please contact support@analyzedirect.com for assistance.


Analyze Patch Update

As with most software products, the process of bug fixing and minor maintenance between versions is an ongoing process. Analyze has all such fixes available in the form of a patch. Patches can be automatically downloaded and installed by selecting the **Help > Analyze Update** from the main Analyze window.

If it is detected that a new patch is available when you select Help > Analyze Update, a window will appear, asking if you wish to download the update. Click Yes to download and install the patch update.

It is recommended that you check for new patch updates the first time you run Analyze 12.0 and then once each month.







V. Analyze Basics

Analyze 12.0 Resources

There are several excellent resources available to help you get started with Analyze 12.0.

To quickly learn the basics of Analyze, we recommend that you work through the **Analyze 12.0 Training Guide** – found on the silver **Resources CD** included with your software package. The Training Guide contains a series of short exercises covering the most commonly used Analyze features and functions.

The **Analyze Tutorials** (optional component during installation) and the **Analyze User's Guide**, both available from the **Help menu** in the main Analyze window, are other excellent resources, providing detailed information about the Analyze modules.

Analyze Demos (help movies) can be also be selected from the Help menu. This option will direct you to a web page with a list of specific Help Movies.

Analyze 12.0 Tutorial Data

The tutorial data used in the Analyze 12.0 Training Guide exercises and the Analyze Tutorials can be found on the silver Resources CD or downloaded from our website. To install the tutorial data from the Resources CD, do the following:

- 1. Insert the silver Resources CD into your computer.
- 2. Open **Analyze 12.0**. From the main Analyze window select **Help > Analyze Tutorials**.

- 3. In the Tutorials window, click the **Install Tutorial Data** button.
- 4. In the window returned, specify the file path to the **TutorialData** folder on the Resources CD (e.g. /media/Resources/TutorialData).
- Click Install. The tutorial data will be copied into the \$BIR/images/TutorialData directory.

Analyze 12.0 Image File Format Support

Please note: Analyze does not automatically configure all supported file formats. This keeps module startup time to a minimum, loading only those image formats that you need to use with Analyze for your purposes. To configure and load all supported file formats in Analyze, use the Import/Export module's External Libraries tool. Instructions on how to use the External Libraries tool can be found in the Training Guide, **Exercise 3: Switching on Support for Additional Formats**.



VI. Analyze Developers Add-On

The Analyze Developers Add-On allows software developers to extend the capabilities of Analyze by developing their own macros and modules, using the AVW (A Visualization Workshop) image function library upon which Analyze is built. The library is robust and includes over 600 imaging functions that can be called at a C-language level.

Note – the Analyze Developers Add-On assumes you are familiar with programming.

To get access to AVW development capabilities, you must select the 'Custom' install during Analyze 12.0 installation. The Developers Add-On also requires a special **AnalyzeDirect.lic** license file that will allows access to the AVW development capabilities. All 30-day evaluation license files provide access to the Developers Add-On.

If you already own an Analyze license and would like to evaluate the Developers Add-On, please contact sales@analyzedirect.com.

During the 'Custom' install of Analyze 12.0, the AVW Programmers Guide, AVW Reference Manual, and AVW Quick Reference Guide should have been installed in the **\$BIR/AVW-12.0/Manuals** directory.

The best place to start practicing with the AVW functions is with the examples provided in the \$BIR/AVW-12.0/Extras directory. This directory contains a number of example source files, both in C and in Tcl/Tk, for common Analyze imaging tasks (like rendering, segmentation, etc.). Note that while Analyze uses Tcl/Tk, the AVW library is interface-independent, allowing developers to work in almost any development environment. If you do want to know more about Tcl programming, we recommend starting with the 'Bible' of Tcl/Tk - "Practical Programming in Tcl and Tk" by Brent Welch. This comes with a CD that you can load on to your computer, which includes a full Tcl/Tk implementation and many examples.

The .tcl scripts contained in the \$BIR/AVW-12.0/Extras subdirectories are full source code scripts that can be run, however, you will need to setup the Tcl/Tk environment such that these scripts can find the Tcl/Tk files needed to execute. The develop_env.bat script included in the \$BIR/AVW-12.0 directory provides an example of a script that can be used to set these development environment variables.

